

ChoiceMMed Portable Oxygen Concentrator



Model	V5	V5C	V6	V6C
Oxygen Flow Settings	1 ~ 5	1 ~ 5&C	1 ~ 6	1 ~ 6&C
Oxygen Flow Volume	Setting 1: 210 mL/min; Setting 2: 420 mL/min; Setting 3: 630 mL/min; Setting 4: 840 mL/min; Setting 5: 1000 mL/min; Setting 6: 1200 mL/min; Setting C: 1200 mL/min;			
Oxygen Concentration	≥ 90%(V/V)			
Outlet Pressure	< 28.9 PSI			
Dimensions	18.6*8.4*2.95 cm (including 8-cell battery)			
	18.6*8.4*4.95 cm (including 16-cell battery)			
Weight	2.2 kg/4.85 lbs (including 8-cell battery)			
	2.6 kg/5.73 lbs (including 16-cell battery)			
Ingress Protection	IP 22			
Sound Level	According to ISO 80601-2-69, the sound pressure does not exceed 60dbA.			
Maximum Power Consumption	100 W			
Electrical Requirements	100 ~ 240 VAC, 50 ~ 60 Hz; 13.5-15.0 VDC, 10 A			
Battery Options	8-cell Battery			
	16-cell battery Battery			
Battery Duration	1 hours 32 min (8-cell battery, 6 Set)			
	6 hours 25 min (8-cell battery, 1 Set)			
Operating Conditions	Operating temperature: 41°F to 104°F (5°C to 40°C).			
	Operating humidity: 0%-90%, non-condensing.			
	Operating altitude: 0~3048m (0 to 10,000 ft).			
Storage and Transport Conditions	Transportation and storage temperature: -13°F to 158°F (-25°C to 70°C).			
	Transport and storage humidity: 0%-95%.			
	Transport and storage altitude: 0-3048m (0 to 10,000 ft)			

Beijing Choice Electronic Technology Co., Ltd.

Add: 2nd and 3rd Floors, No. 2 Building, No. 9 Shuangyuan Road,

Shijingshan District, Beijing, China

Tell: 4008-111-981 Fax: 86 10-88204632

E-mail: market@choicemmed.com Website: www.choicemmed.comBeijing

NOTE The specifications are subject to changes without prior notice.

ChoiceMMed
Providing a Better Life